

SECTION IV: PULLING TOOLS

Type 'ROTR' Pulling Tool series are Shear Up design for external Fishing Neck.

Rebco offers a wide range of sizes within this group of Pulling Tools. These Tools are offered with three basic reaches to retrieve the Sub-Surface devices with external Fishing Neck.

Three types of Tools with reach designation:

- Type 'ROTRB' Short Reach
- Type 'ROTRS' Medium reach
- Type 'ROTRJ' Long Reach

Type 'ROTRB' Pulling Tool (Short Reach) Assembly: 1" - 4"

TECHNICAL DATA						
NOMINAL SIZE	1″	1 3/16"	1 1/4"	1 1/2"	1 1/2"	
ASSEMBLY NUMBER	4013011000	4013011180	4013011250	4013011501	4013011500	
ENGINEERING DATA:						
MAXIMUM OD	.97"	1.19"	1.22″	1.48″	1.43″	
PIN THREAD CONNECTION	5/8" - 11	5/8" - 11	5/8" - 11	15/16" - 10	15/16" - 10	
FISHING NECK OD	.750″	.875"	1.000"	1.187"	1.187"	
BOTTOM THREAD (PRONG)	10/24"	10/24"	3/8" - 16	3/8" - 16	3/8" - 16	
WILL ENGAGE FISHING NECK OD	.750"	.875"	1.000"	1.187"	1.187"	
REACH	1.36"	1.30"	1.31"	1.05"	1.26"	
LENGTH	9.77"	12.8"	13.30"	12.2"	12.2"	
MATERIAL	Alloy	Alloy	Alloy	Alloy	Alloy	

ACCESSORIES

PINNING TOOL ASS'Y	16711001	16711001	16711003	16711003	16711003
RELEASING TOOL	167002	167003	167004	167004	167004
CORE WRENCH	167021	167022	167023	167023	167023





SECTION IV: PULLING TOOLS

Type 'ROTRB' Pulling Tool (Short Reach) Assembly:


TECHNICAL DATA					
NOMINAL SIZE	2"	2 1/2"	3″	3 1/2"	4"
ASSEMBLY NUMBER	4013012000	4013012500	4013013000	4013013500	4013014000
ENGINEERING DATA:					
MAXIMUM OD	1.77″	2.18"	2.74"	3.11"	3.67"
PIN THREAD CONNECTION	15/16" - 10	15/16" - 10	1 1/16" - 10	1 1/16" - 10	1 1/16" - 10
FISHING NECK OD	1.375"	1.375"	2.313"	2.313"	2.313"
BOTTOM THREAD (PRONG)	1/2" - 13	1/2" - 13	5/8" - 11	5/8" - 11	1 1/4" - 12
WILL ENGAGE FISHING NECK OD	1.375"	1.750"	2.313"	2.750"	3.125"
REACH	1.29"	1.28"	1.38"	1.38"	1.56"
LENGTH	16.40"	16.36"	16.06"	15.87"	18.0"
MATERIAL	Alloy	Alloy	Alloy	Alloy	Alloy
ACCESSORIES					
PINNING TOOL ASS'Y	16711004	16711004	16711005	16711005	16711006
RELEASING TOOL	167005	167006	167007	167009	167008
CORE WRENCH	167024	167024	167025	167025	167026






SECTION IV: PULLING TOOLS

Fig 2 - Comparative of 'ROTR_' and 'ROTS_' Pulling Tools



Series Type: 'ROTRB', 'ROTRS' and 'ROTRJ'



Series Type: 'ROTSB' and 'ROTSS'

Chart: Pulling Tool Selection Guide

FISHING NECK	PUL	LING TOOL TYPE: SE	IAD TO DELEACE		
TYPE TO ENGAGE	SHEAR UP	SHEAR DOWN	SPECIAL	JAR TO RELEASE	
	'ROTR_'		'RQ'		
EXTERNAL	'ROTJU_'			UP	
	'ROTB_'				
		'ROTS_'	'SQ'	DOWN	
		'ROTJD_'			
		'RH'			
			'ROTSSJ'	DOWN w/Adapter	
			'RMF'	MODE: Up/Down	
	'ROTGR'			LID/A dantar	
INTERNAL	'ROTGRL'			UP w/Adapter	
		'ROTGS'		DOWN	
		'ROTGSL'		DOWN	