

## **SECTION IV: PULLING TOOLS**

Type 'ROTR' Pulling Tool series are Shear Up design for external Fishing Neck.

**Rebco** offers a wide range of sizes within this group of Pulling Tools. These Tools are offered with three basic reaches to retrieve the Sub-Surface devices with external Fishing Neck.

Three types of Tools with reach designation:

- Type 'ROTRB' Short Reach
- Type 'ROTRS' Medium reach
- Type 'ROTRJ' Long Reach

## Type 'ROTRS' Pulling Tool (Medium Reach) Assembly: 1" - 4"

TECHNICAL DATA						
NOMINAL SIZE	1"	1″	1 1/4"	1 1/2"	1 3/4"	
ASSEMBLY NUMBER	4013141000	4013141180	4013141250	4013141501	4013141750	
ENGINEERING DATA:						
MAXIMUM OD	.89"	.89″	1.22"	1.43"	1.56″	
PIN THREAD CONNECTION	1/2" - 13	1/2" - 13	5/8" - 11	15/16" - 10	15/16" - 10	
FISHING NECK OD	.687"	.687"	1.000"	1.187"	1.187"	
BOTTOM THREAD (PRONG)	1/4" - 20	1/4" - 20	3/8" - 16	3/8" - 16	3/8" - 16	
WILL ENGAGE FISHING NECK OD	.687"	.687"	.687"	1.187"	1.187"	
REACH	1.00"	2.00"	2.12"	1.79"	1.22"	
LENGTH	8.61"	12.8"	13.30"	12.2"	12.2"	
MATERIAL	Alloy	Alloy	Alloy	Alloy	Alloy	

#### **ACCESSORIES**

PINNING TOOL ASS'Y	16711002	16711002	16711003	16711003	16711003
RELEASING TOOL	167001	167001	167004	167004	1670010
CORE WRENCH	167022	167022	167023	167023	167023





## **SECTION IV: PULLING TOOLS**

# Type 'ROTRS' Pulling Tool (Medium Reach) Assembly:

TECHNICAL DATA						
NOMINAL SIZE	2"	2 1/2"	3″	3 1/2"	4"	
ASSEMBLY NUMBER	4013142000	4013142500	4013143000	4013143500	4013144000	
ENGINEERING DATA:						
MAXIMUM OD	1.77″	2.18"	2.74"	3.11"	3.67"	
PIN THREAD CONNECTION	15/16" - 10	15/16" - 10	1 1/16" - 10	1 1/16" - 10	1 1/16" - 10	
FISHING NECK OD	1.375"	1.375"	2.313"	2.313"	2.313"	
BOTTOM THREAD (PRONG)	1/2" - 13	1/2" - 13	5/8" - 11	5/8" - 11	1 1/4" - 12	
WILL ENGAGE FISHING NECK OD	1.375"	1.750"	2.313"	2.750"	3.125"	
REACH	2.07"	2.07"	2.20"	2.13"	2.46"	
LENGTH	16.40"	16.36"	16.06"	15.87"	18.0"	
MATERIAL	Alloy	Alloy	Alloy	Alloy	Alloy	

### **ACCESSORIES**


PINNING TOOL ASS'Y	16711004	16711004	16711005	16711005	16711006
RELEASING TOOL	167005	167006	167007	167009	167008
CORE WRENCH	167024	167024	167025	167025	167026






## **SECTION IV: PULLING TOOLS**

Fig 2 - Comparative of 'ROTR\_' and 'ROTS\_' Pulling Tools



Series Type: 'ROTRB', 'ROTRS' and 'ROTRJ'



Series Type: 'ROTSB' and 'ROTSS'

# **Chart: Pulling Tool Selection Guide**

FISHING NECK	PUL	LING TOOL TYPE: SE	IAD TO DELEACE	
TYPE TO ENGAGE	SHEAR UP	SHEAR DOWN	SPECIAL	JAR TO RELEASE
	'ROTR_'		'RQ'	
	'ROTJU_'			UP
EXTERNAL	'ROTB_'			
		'ROTS_'	'SQ'	DOWN
		'ROTJD_'		
		'RH'		
			'ROTSSJ'	DOWN w/Adapter
			'RMF'	MODE: Up/Down
	'ROTGR'			LID/A dantar
INTERNAL	'ROTGRL'			UP w/Adapter
		'ROTGS'		DOWN
		'ROTGSL'		DOWN