



SECTION XVI: PLUG ASSEMBLIES for NIPPLES & TUBING

Valve Type 'ROTXX' Plug Choke Assembly: 1.500" - 4.562"

Rebco Type 'ROTXX' Plug Choke Assembly, when landed in Type 'ROTX' Landing Nipple, of the same size, will plug off the nipple and tubing. The Plug Choke is capable of holding pressure differentials from above or below.

NOTE: Valve Type 'ROTXX' Plug Choke Assembly is made up of Type 'ROTX' Lock Mandrel (PRODUCT CODE 10, 17, and/or 18) and Type 'ROTX' Equalizing Valve Sub-Assembly with a Cap (PRODUCT CODE 20).

The Plug requires ONE run to be set.



TECHNICAL DATA

NIPPLE SEAL BORE SIZE	1.500"	1.625"	1.875"	2.313"
ASSEMBLY NUMBER	20181815030	20181816230	20181818730	20181823130

ENGINEERING DATA:

MAXIMUM OD (NO-GO)		1.495"	1.620"	1.870"	2.307"
LOCK MANDREL FISHING NECK ID		1.06"	1.06"	1.38"	1.81"
RUNNING TOOL - 'ROTX'		41182015000	41182016200	41182018700	41182023100
PULLING TOOL - 'ROTGR'		40051315000	40051315000	40051318700	40051323100
EQUALIZING PRONGS	RUNNING	49121324	4912496	4912505	4911793
	PULLING	49122037	49122035	49122044	49122078
LENGTH		22.75"	22.75"	20.28"	20.75"
MATERIAL *		Norm Alloy	Norm Alloy	Norm Alloy	Norm Alloy

ACCESSORY:

CHECK SET TOOL (PRODUCT CODE 41)	4102181500	4102181500	4102181870	4102182310
----------------------------------	------------	------------	------------	------------

* Norm Alloy is suitable for H₂S Service (NACE MR-01-75, Latest Revision)



SECTION XVI: PLUG ASSEMBLIES for NIPPLES & TUBING

Valve Type 'ROTXX' Plug Choke Assembly:

TECHNICAL DATA				
NIPPLE SEAL BORE SIZE	2.750"	2.813"	2.875"	3.313"
ASSEMBLY NUMBER	20181827530	20181828130	20181828730	20181833130
ENGINEERING DATA:				
MAXIMUM OD (NO-GO)	2.745"	2.808"	2.870"	3.307"
LOCK MANDREL FISHING NECK ID	2.31"	2.31"	2.31"	2.62"
RUNNING TOOL - 'ROTXX'	41182027500	41182028100	41182028700	41182033100
PULLING TOOL - 'ROTGR'	40051327500	40051327500	40051327500	40051331202
EQUALIZING PRONGS	RUNNING	4912599	4912599	4911762
	PULLING	49122043	49122043	4911763
LENGTH	20.77"	20.77"	20.77"	23.8"
MATERIAL *	Norm Alloy	Norm Alloy	Norm Alloy	Norm Alloy
ACCESSORY:				
CHECK SET TOOL (PRODUCT CODE 41)	4102183000	4102183000	4102183000	4102183310

* Norm Alloy is suitable for H₂S Service (NACE MR-01-75, Latest Revision)





SECTION XVI: PLUG ASSEMBLIES for NIPPLES & TUBING

Valve Type '**ROTX**' Plug Choke Assembly:

TECHNICAL DATA				
NIPPLE SEAL BORE SIZE	3.688"	3.813"	4.313"	4.562"
ASSEMBLY NUMBER	20181836830	20181838130	20181843130	20181845630
ENGINEERING DATA:				
MAXIMUM OD (NO-GO)	3.682"	3.807"	4.307"	4.556"
LOCK MANDREL FISHING NECK ID	3.12"	3.12"	3.12"	4.00"
RUNNING TOOL - ' ROTX '	41182036800	41182038100	41182043100	41182045600
PULLING TOOL - ' ROTX '	40051336804	40051336804	40051336804	40051345600
EQUALIZING PRONGS	RUNNING	4911826	4911640	4911805
	PULLING	4911827	4911641	4911944
LENGTH	21.88"	21.88"	22.0"	23.99"
MATERIAL *	Norm Alloy	Norm Alloy	Norm Alloy	Norm Alloy

ACCESSORY:

CHECK SET TOOL (PRODUCT CODE 41)	4102183680	4102183810	4102184310	4102184560
--	------------	------------	------------	------------

* Norm Alloy is suitable for H₂S Service (NACE MR-01-75, Latest Revision)

Plug Chokes are available in a variety of Materials, suitable for down-hole conditions.

