



SECTION XVI: PLUG ASSEMBLIES for NIPPLES & TUBING

EQUALIZING PRONG Type '**ROTPXX**' Plug Choke Assembly: 1.500" - 4.562"

Rebco Equalizing Prong Type '**ROTPXX**' Plug Choke Assembly, when landed in Type '**ROTX**' Landing Nipple, of the same size, will plug off the nipple and tubing. The Plug Choke is capable of holding pressure differentials from above or below.

NOTE: Equalizing Prong Type '**ROTPXX**' Plug Choke Assembly is made up of Type '**ROTX**' Lock Mandrel ([PRODUCT CODE 10, 17, and/or 18](#)) and Type '**ROTPX**' Equalizing Prong and Sub-Assembly with a Cap ([PRODUCT CODE 20](#)).

The Plug requires TWO runs to be set.

Before Equalizing Prong is run in place, it is recommended to run a CHECK SET TOOL ([ACCESSORY](#)) to ensure that the Plug is set properly in the Landing Nipple profile.

Plug Chokes are available in a variety of Materials, suitable for down-hole conditions.

TECHNICAL DATA

NIPPLE SEAL BORE SIZE	1.500"	1.625"	1.875"	2.313"
ASSEMBLY NUMBER	2111181815030	2111181816230	2111181818730	2111181823130

ENGINEERING DATA:

MAXIMUM OD (NO-GO)		1.495"	1.620"	1.870"	2.307"
RUNNING TOOL - ' ROTX '		41182015000	41182016200	41182018700	41182023100
PULLING TOOL - ' ROTPGR '		40051315000	40051315000	40051318700	40051323100
EQUALIZING PRONGS	FISHING NECK SIZE	1.000"	1.000"	1.375"	1.375"
	PRONG LENGTH	26.0"	26.0"	23.38"	23.46"
	RUNNING/PULLING TOOL	400703021375	400703021375	4014012000	4014012000
MATERIAL *		Norm Alloy	Norm Alloy	Norm Alloy	Norm Alloy

ACCESSORY:

CHECK SET TOOL (PRODUCT CODE 41)	4102181500	4102181500	4102181870	4102182310
--	------------	------------	------------	------------

* Norm Alloy is suitable for H₂S Service (NACE MR-01-75, Latest Revision)






SECTION XVI: PLUG ASSEMBLIES for NIPPLES & TUBING

EQUALIZING PRONG Type '**ROTPXX**' Plug Choke Assembly:

TECHNICAL DATA				
NIPPLE SEAL BORE SIZE	2.750"	2.813"	2.875"	3.313"
ASSEMBLY NUMBER	2111181827530	2111181828130	2111181828730	2111181833130
ENGINEERING DATA:				
MAXIMUM OD (NO-GO)	2.745"	2.808"	2.870"	3.307"
RUNNING TOOL - ' ROTX '	41182027500	41182028100	41182028700	41182033100
PULLING TOOL - ' ROTGR '	40051327500	40051327500	40051327500	40051331202
EQUALIZING PRONGS	FISHING NECK SIZE	1.375"	1.375"	1.375"
	PRONG LENGTH	28.13"	28.13"	28.13"
	RUNNING/PULLING TOOL	4014012000	4014012000	4014012000
MATERIAL *		Norm Alloy	Norm Alloy	Norm Alloy
ACCESSORY:				
CHECK SET TOOL (PRODUCT CODE 41)	4102183000	4102183000	4102183000	4102183310

* Norm Alloy is suitable for H₂S Service (NACE MR-01-75, Latest Revision)





SECTION XVI: PLUG ASSEMBLIES for NIPPLES & TUBING

EQUALIZING PRONG Type '**ROTPXX**' Plug Choke Assembly:

TECHNICAL DATA				
NIPPLE SEAL BORE SIZE	3.688"	3.813"	4.313"	4.562"
ASSEMBLY NUMBER	2111181836830	2111181838130	2111181843130	2111181845630
ENGINEERING DATA:				
MAXIMUM OD (NO-GO)	3.682"	3.807"	4.307"	4.556"
RUNNING TOOL - ' ROTX '	41182036800	41182038100	41182043100	41182045600
PULLING TOOL - ' ROTGR '	40051336804	40051336804	40051336804	40051345600
EQUALIZING PRONGS	FISHING NECK SIZE	2.313"	2.313"	3.125"
	PRONG LENGTH	34.84"	34.84"	35.34"
	RUNNING/PULLING TOOL	4014013000	4014013000	4014014000
MATERIAL *	Norm Alloy	Norm Alloy	Norm Alloy	Norm Alloy

ACCESSORY:

CHECK SET TOOL (PRODUCT CODE 41)	4102183680	4102183810	4102184310	4102184560
--	------------	------------	------------	------------

* Norm Alloy is suitable for H₂S Service (NACE MR-01-75, Latest Revision)

